



SOCAY China Power Thermist NTC Thermistor MF72 Serie SCN10D-13 10Ω 13mm Wide Resistance Range

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, Guangdong, China
- Brand Name: SOCAY
- Certification: UL, REACH, ROHS, ISO
- Model Number: MF72-SCN8D-13
- Minimum Order Quantity: 250PCS
- Price: Negotiable
- Packaging Details: Bulk
- Delivery Time: 5-7 days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 250,000PCS Per Month



Product Specification

- Resistance At 25 ±20%: 10Ω
- Max. Permissible Working Current: 4A
- Resistance Under Load (mΩ): 206mΩ
- Dissipation Factor: 15mW/
- Thermal Time Constant: 65Sec.
- Maximum Permissible Capacitance @240Vac: 330uF
- Body Size: 13mm
- MOQ: 250PCS



More Images



for more products please visit us on socaydiode.com

Product Description

SOCAY China Power Thermist NTC Thermistor MF72 Serise SCN10D-13 10Ω 13mm Wide Resistance Range

DATASHEET: [MF72-SCN10D-13_v2105.1.pdf](#)

1.Product Details:

Place of Origin	Shenzhen,Guangdong,China
Brand Name	SOCAY
Model Number	MF72-SCN8D-13
Certification	UL,REACH,ROHS,ISO

2.Payment & Shipping Terms:

Minimum Order Quantity	250PCS
Price	Negotiable
Packaging Details	Bulk
Delivery Time	5-7 days
Payment Terms	T/T,Paypal,Western Union,Money gram
Supply Ability	250,000PCS Per Month

3.Product infringement situation:

Storage Conditions:	Storage Temperature: -10 ~ +40 . Relative Humidity: ≤ 75%RH. Keep away from corrosive atmosphere and sunlight.
2.Period of Storage:	1 year.

Recommended Applications

- ◆ Switch mode power supply
- ◆ Electric motor
- ◆ Transformer
- ◆ Adapter
- ◆ Projector
- ◆ Halogen lamp
- ◆ LED driver circuit

Storage Conditions of Products


- ◆ Storage Conditions:
Storage Temperature: -10℃ ~ +40℃.
Relative Humidity: ≤ 75%RH.
Keep away from corrosive atmosphere and sunlight.
- ◆ Period of Storage: 1 year.

Part Number Code


MF72	SCN	8D	-	13
(1)	(2)	(3)	(4)	

- (1) MF72: MF72 Series.
 (2) SCN: Socay NTC.
 (3) 8D: Zero Power Resistance at 25℃ (R₂₅): 8=8Ω.
 (4) Body Size: 13=Φ13mm.

Maximum Power Rating (Pmax)



Structure and Dimensions (Unit: mm)



D max	T max	P max	F	H	Lshort/Llong	d	Type
14.5	5.5	3.0	7.5±0.5	--	7±1/20±1	0.75	S
14.5	5.5	3.0	7.5±0.5	20.5±1	4±1/20±1	0.75	K/V/D

Note: Length of Pin (L) can be customized.

Packing :



Part Number	Type of L	Quantity(pcs/bag)
MF72-SCN10D-13	L short	250
	L long	250

Reliability

Item	Test conditions / Methods	Test Result
Tensile Strength of Terminals	Fasten body with a Load Applied to each lead 3.0Kg for 1sec.	No break out and damage
Bending Strength of Terminals	Fixed body hand 1.0kg on one terminal bend 90 then back again oppsite.	No break out and damage
Solder Ability	When the Lead wire was dipped into bath Of $235 \pm 5^{\circ}\text{C}$ for 3 seconds after immersion in 25% rosin flux the solder ability ratio of lead wire surface should more than 95%.	More than 95% solder ability
Temp. Cycle Test	$(-40^{\circ}\text{C} \times \rightarrow +25^{\circ}\text{C} \times 3\text{min}) \times 5\text{Cycles}$ $(-85^{\circ}\text{C} \times \rightarrow +25^{\circ}\text{C} \times 3\text{min}) \times 5\text{Cycles}$	$ \Delta R/R \leq \pm 20\%$
Humidity Test	45°C 95%RH×1000 hours	$ \Delta R/R \leq \pm 20\%$
Load Life	6 AMP×1000 hours	$ \Delta R/R \leq \pm 20\%$
Insulation Test	DC 700V	$R \geq 500\text{M}\Omega$

Product shown:






Company Information:



History of Socay Group



5 invention patents

42 utility model patents

16 Design patent



Shipping Service:



FAQ:

Q: May we get some samples?

A: Of course,samples are available.

Q: What is product lead time?

A: For GDT,TVS and ESD,lead time will take 3-4 weeks.For TSS,MOV,MLV,NTC,and PPTC,lead time will take 4-6 weeks.Accurate lead time will be further confirmed when we know your specific requirement.

Q: Do you support customization?

A: Yes,we do.

Please feel free to contact us if you have any question.

Contact Person: Aria Wei

Tel/WhatsApp/Wechat/Skype: +8615778830733

Email Address: sc72@socay.com

Website: www.socay.com / www.socay.en.alibaba.com

Address: Floor 4, Building C, Hengxing Science park, No.19 Minqing Road, Longhua District, Shenzhen



Shenzhen Socay Electronics Co., Ltd.



+8618126201429



sylvia@socay.com



socaydiode.com

4/F, Block C, HeHengXing Science & Technology Park, 19 MinQing Road, LongHua District, Shenzhen City,
GuangDong Province, China